

TENNESSEE

MID-CUMBERLAND REGION HEALTH & WELL-BEING INDEX 2017

CUMBERLAND REGION overall score out of 10

MID-

#3 out of 14 regions



Cheatham, Dickson, Houston, Humphreys, Montgomery, Robertson, Rutherford, Stewart, Sumner, Trousdale, Williamson & Wilson Counties

HOW ARE TENNESSEANS IN THE MID-CUMBERLAND REGION DOING?

REGIONAL NATIONAL **AVERAGE** Overweight or obese 69% vs. 64% Diagnosed with high blood pressure 39% vs. 31% Report their health as fair or poor vs. 17% 15% Diagnosed with diabetes 8% vs. 10% Diagnosed with asthma 11% vs. 14%



38%

vs. 33%

BETTER THAN

Overweight or obese

2016 SCORE OF

6.8

WORSE BETTER

10

HOW DOES THE REGION SCORE ON THE DRIVERS OF HEALTH?



MID-CUMBERLAND REGION DOMAIN SCORES

7.6	Social & Economic Environment
7.6	#1 out of 14 regions

5.1	Health Behavior
	#6 out of 14 regions

7.9	Clinical Care
W	#4 out of 14 regions

7.3 Physical Environment #8 out of 14 regions

AREAS OF STRENGTH

High school graduation rate



94%

Adults with a primary care physician



77%

Adults who avoided needed care due to cost



11%

AREAS FOR IMPROVEMENT

Children who are food insecure



22%

Access to exercise opportunities



59%

Pregnant women who receive inadequate prenatal care



38%

Table 9. Mid-Cumberland Region Metrics

	MOST RECENT TENNESSEE DATA	NATIONAL AVERAGE	BETTER/WORSE THAN NATIONAL AVERAGE
Social & Economic Environment Domain			
Adults with some college education (2014)	57.3%	46.1%	BETTER
Black-White Residential Segregation Index (2014)	42	59	BETTER
Childless household that are food insecure (2014)	13.3%	13.0%	SAME
Children who are food insecure (2014)	21.8%	17.0%	WORSE
Children who live in poverty (2014)	19.6%	19.7%	SAME
High School Graduation rate (2015)	94.0%	82.0%	BETTER
Income Inequality Index (2015)	42.6	47.9	BETTER
Individuals who live in poverty (2014)	14.0%	12.4%	WORSE
Unemployment rate (2014)	6.6%	6.2%	SAME
White-Non-White Residential Segregation Index (2014)	31	41	BETTER
Health Behavior Domain			
Adults currently smoking cigarettes (2013)	22.9%	16.8%	WORSE
Adults who are physically inactive (2012)	33.2%	29.6%	WORSE
Adults who eat 5 or more servings of fruits and vegetables each day (2013)	8% combined	13.1% fruit 8.9% vegetables	-
Clinical Care Domain			
Adults who are uninsured (2014)	15.8%	10.4%	WORSE
Adults who avoided medical care in the last 12 months due to cost (2013)	10.8%	15.3%	BETTER
Adults with a primary care physician (2013)	77.0%	69.9%	BETTER
Adults with diabetes receiving at least 2 HbA1c measurements in the last year (2013)	85.9%	84.9%	BETTER
Children who are uninsured (2013)	5.6%	7.5%	BETTER
Medicare enrollees readmitted within 30 days of a hospital discharge (2013)	18.2%	18.0%	SAME
Pregnant women who receive adequate prenatal care (2015)	61.9%	74.4%	WORSE
Women who have received a pap test within the past 3 years (2013)	77.0%	75.2%	BETTER
Women, 40 and older, who have received a mammogram in the past 2 years (2013)	72.0%	73.0%	WORSE
Physical Environment Domain			
Adults with at least 1 of 4 housing problems: overcrowding, high housing costs, lack of kitchen, or lack of plumbing facilities (2012)	13.2%	19.0%	BETTER
Individuals with access to exercise opportunities (e.g. parks, gyms, YMCAs, community centers, dance studios, pools) (2014)	58.7%	77.0%	WORSE

Table 16. Comparison of 2017 and 2016 Index and Domain Scores

	Health & Well-Being Index			Social & Economic Environment Domain			Health Behavior Domain			Clinical Care Domain			Physical Environment Domain		
	2016	2017		2016	2017		2016	2017		2016	2017		2016	2017	
Tennessee	6.5	6.6	\triangle	6.5	6.8	A	5.0	5.1	A	8.0	8.0	4	7.7	7.7	4
Northeast	6.5	6.5	4	6.9	7.0	A	4.8	4.8	4	7.7	7.7	•	7.5	7.4	•
East	6.6	6.4	•	6.9	7.0	A	4.8	4.8	4	8.1	7.5	V	7.4	7.2	•
Knox	7.0	6.9	•	7.3	7.3	4	5.4	5.3	•	8.2	7.9	•	8.2	8.2	4
Upper- Cumberland	6.5	6.4	•	6.9	7.0	A	5.1	4.9	•	7.9	7.7	V	6.6	6.0	•
Southeast	6.5	6.5	A	7.1	7.1	A	4.8	4.7	•	7.8	7.6	•	7.0	6.8	▼
Hamilton	6.7	6.8		6.9	7.0	A	5.1	5.4		7.8	7.9		8.2	8.3	
Davidson	6.9	6.9	4	7.1	7.1	4	5.5	5.5	•	7.8	7.8	A	8.4	8.4	*
Mid-Cumberland	6.8	6.9		7.3	7.6	A	5.1	5.1	4	8.1	7.9	•	7.3	7.3	4
South Central	6.5	6.6	_	7.2	7.3	A	4.7	5.0	A	7.8	7.6	V	6.6	6.3	•
Northwest	6.5	6.5	4	7.1	7.1	A	4.8	4.9		7.6	7.8	A	6.8	6.6	•
Southwest	6.4	6.4	4	7.1	7.1	4	4.7	4.5	•	7.8	7.7	•	6.3	6.3	4
Shelby	6.5	6.6	Δ	6.5	6.5	4	5.4	5.4	4	7.6	7.8	A	8.4	8.4	4
Madison	6.7	6.7	4	7.1	7.1	4	5.2	5.1	•	8.0	7.9	▼	7.5	7.8	A
Sullivan	6.8	6.7	•	7.2	7.2	4	4.8	4.7	•	8.0	7.9	•	8.3	8.3	4